


# Dynabrade Systems & Solutions



For Gear-Driven & Finishing Sanders – Suggested Tool/Accessory Combinations

TOOL	ABRASIVE	ACCESSORIES	
<b>DynaLocke® Dual-Action Sander</b> Model 58430 Two-Hand, Non-Vacuum 12,000 RPM Page 166 	<b>5" Dia. Abrasive Discs</b> Non-Vacuum Page 275 	<b>Backup Pad 54326</b> Non-Vacuum Page 231 	<b>Tune-Up Kit 98220</b> Page 267 
<b>Gear-Driven Sander</b> Model 58446 Two-Hand, Central Vacuum 900 RPM Page 168 	<b>8" Dia. Abrasive Discs</b> Vacuum Page 275 	<b>Backup Pad 56235</b> Vacuum Page 234 	<b>Grease &amp; Grease Gun</b> 95542, 95541 Page 254 
<b>Dynafine® Detail Sander</b> Model 57900 7° Offset, 13,000 RPM, .12 hp Page 170 	<b>Triangular &amp; Tear-Drop Abrasives</b> Non-Vacuum and Vacuum Page 278 	<b>Triangular &amp; Tear-Drop Pads</b> Page 236 	<b>Raised Panel Pad Kit 57905</b> Page 236 
<b>Dynabug® Orbital Sander</b> Model 57810 Non-Vacuum 10,000 RPM, .24 hp Page 175 	<b>Abrasive Sheets</b> Non-Vacuum Page 277 	<b>Backup Pad 57850</b> Page 237 	<b>DynaJet Blow Gun 94467</b> Page 224 
<b>Dynabug® II Orbital Sander</b> Model 58500 Non-Vacuum 10,000 RPM, .15 hp Page 176 	<b>Abrasive Sheets</b> Non-Vacuum Page 277 	<b>Backup Pad 56315</b> Page 237 	<b>Ball-Swivel Plug 97016</b> Page 223 

## ESSENTIAL ACCESSORIES

**Metal Capture Downdraft Station**  
 64350 Page 208



**Air Lube (10W/NR)**  
 95842 Page 254



**Dynūba 100**  
 60005 Page 254



**Dynūba 26**  
 60020 Page 254



**Dynaswivel®**  
 94300 Page 223



**Coupler/Plug Assemblies**  
 95676, 97572 Page 228



**Filter-Regulator-Lubricator**  
 10681 Page 224



**Air Hose Assemblies**  
 94863, 94852, 94892 Page 225



**6" (150 mm) Diameter - Rubber Pads**




Example : 50633

VACUUM PADS						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
50610	6 holes	Hook Face - Long nap	1/2" (13 mm)	Rubber	Medium	5/16"-24 Male Thread
50633		Rubber Face				
50696		Rubber Post Pattern				

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
50606	Hook Face - Long nap	1/2" (13 mm)	Rubber	Medium	5/16"-24 Male Thread
50632	Rubber Face				

**6" (150 mm) Diameter - For Gear Driven Sanders**



Example : 57766

VACUUM PADS						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
22299	DynaMaze (Universal Vacuum)	Hook Face Short nap	3/8" (10 mm)	Urethane	Medium	5 screws
57765	6 holes					
57766	8 holes					
57763	6 holes	Vinyl Face				

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
57764	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	5 screws
57762	Vinyl Face				

**8" (200 mm) Diameter**



Example : 56237

VACUUM PADS						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
22366	8 + 1 holes	Hook Face Short nap	1/2" (13 mm)	Urethane	Hard	5 screws
22292	DynaMaze (Universal Vacuum)		3/8" (10 mm)		Medium	
22803	20 holes		1/2" (13 mm)			
56237	8 holes		3/8" (10 mm)			
56322	48 holes		1/2" (13 mm)			
56235	8 holes	Vinyl Face	1/2" (13 mm)			

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
56236	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	5 screws
56234	Vinyl Face				

**8" (200 mm) Diameter - Rubber Pads**



Example : 54333

VACUUM PADS						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
54336	8 holes	Hook Face - Short nap	1/2" (13 mm)	Rubber	Medium	5 screws
54333	8 holes	Hook Face - Long nap				

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
54335	Hook Face - Short nap	1/2" (13 mm)	Rubber	Medium	5 screws
54332	Hook Face - Long nap				

**3/4" (19 mm) Pads - Mini-Dynorbital**

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
54089	Hook Face	/	Nylon	Hard	1/4"-20 Female Thread
54017	Rubber Face	/	Foam	Medium	
54085	Foam Face	/		Very Soft	
54091	Vinyl Face	/	Urethane	Medium	
54087		/	Foam	Soft	



Example : Model 58037  
with 54017 Backing Pad

## 1-1/4" (32 mm) Pads - Mini-Dynorbital



Example : 54088

VACUUM PAD						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
22551	6 holes	Hook Face - Short nap	/	Urethane	Medium	1/4"-20 Female Thread

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
54090	Hook Face - Short nap	/	Nylon	Hard	1/4"-20 Female Thread
54095		/	Urethane	Soft	
54018	Rubber Face	/	Foam	Medium	
54037	/				
54084	Vinyl Face	/	Urethane	Soft	
54088		/	Foam		

## 3-2/3" (93 mm) x 7" (178 mm) Pads - Dynabug




Example : 57850

VACUUM PADS						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
57856	10 holes	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	4 screws
57870	10 holes + Channel					
57871						
57855	10 holes	Vinyl Face				

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
57851	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	4 screws
57852	Hook Face - Long nap				
57850	Vinyl Face				

## 2-3/4" (70 mm) x 8" (203 mm) Pads - Dynaline



Example : 57471

VACUUM PADS						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
57457	Vacuum	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	2 screws
57455		Vinyl Face				

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
57456	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	2 screws
57471	Hook Face - Long nap				
57454	Vinyl Face				
57458	Vinyl Face, Combination				
57460	Vinyl Face - clamps				

## 2-3/4" (70 mm) x 11" (280 mm) Pads - Dynaline

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
57513	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	2 screws
57511	Vinyl Face				
57512	Vinyl Face - clamps				



Example : Model 51350  
with 57512 Backing Pad

## 2-3/4" (68 mm) x 6-7/8" (178 mm) Pad - Dynabug II

NON-VACUUM PAD					
P/N	Attachment	Thickness	Material	Density	Thread
56354	Vinyl Face	3/8" (10 mm)	Urethane	Medium	4 screws



Example : Model 58507  
with 56354 Backing Pad

# DYNABRADE BACKING PADS

## 2-3/4" (68 mm) x 7-3/4" (196 mm) Pad - Dynabug II



Example : 56326

### VACUUM PAD

P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
56326	8 holes	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	4 screws

## 3" (74 mm) x 4-1/4" (109 mm) Pads - Dynabug II



Example : 56315


### VACUUM PADS

P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
56316	4 holes	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	4 screws
56356		Vinyl Face				

### NON-VACUUM PADS

P/N	Attachment	Thickness	Material	Density	Thread
56315	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	4 screws
56355	Vinyl Face				

## 3-1/4" (80 mm) x 5" (130 mm) Pads - Dynabug II



Example : 56317

### VACUUM PADS

P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
56318	8 (4+4) holes	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	4 screws
56319	8 holes					

### NON-VACUUM PADS

P/N	Attachment	Thickness	Material	Density	Thread
56317	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	4 screws
56357	Vinyl Face				

## 4-1/4" (108 mm) x 4-1/2" (114 mm) Pads - Dynabug II

### NON-VACUUM PADS

P/N	Attachment	Thickness	Material	Density	Thread
56331	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	4 screws
56330	Vinyl Face				



Example : Model 58500 with 56331 Backing Pad

## 3-7/8" (99 mm) x 5-5/8" (143 mm) - "Delta Style" Pad - Dynabug II



Example : 56323

### VACUUM PADS

P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
56323	7 holes	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	4 screws

## 4-1/4" (108 mm) x 4-1/2" (114 mm) Model T Pads - Dynabug



Example : 57996

### VACUUM PADS

P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
56285	6 holes	Hook Face - Short nap	3/16" (5 mm)	Foam	Medium	Hook Attachment
56292			3/8" (10 mm)			
56294			5/8" (16 mm)			
56286		Vinyl Face	1/4" (6 mm)		Medium	
56293			5/8" (16 mm)		Soft	

### NON-VACUUM PADS

P/N	Attachment	Thickness	Material	Density	Thread	
57998	Hook Face - Short nap	3/8" (10 mm)	Foam	Medium	Hook Attachment	
57996		5/8" (16 mm)		Soft		
56244	Vinyl Face	3/8" (10 mm)		Medium		
56291						5/8" (16 mm)

## 5" (125 mm) Diameter Model T Pads - Dynabug

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
56248	Hook Face - Short nap	3/8" (10 mm)	Foam	Medium	Hook Attachment
56247		5/8" (16 mm)		Soft	
56249	Vinyl Face	3/8" (10 mm)		Medium	
56246		5/8" (16 mm)		Soft	



Example : Model 57922 with 56249 Backing Pad

## 6" (150 mm) Diameter Model T Pads - Dynabug


NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
56268	Hook Face - Short nap	3/8" (10 mm)	Foam	Medium	Hook Attachment
56288		5/8" (16 mm)		Soft	
56287	Vinyl Face	5/8" (16 mm)		Soft	



Example : Model 57925 with 56244 Backing Pad

## Triangular Pads - Dynafine

VACUUM PADS						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
58049	6 holes	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	2 screws
58046		Vinyl Face				



Example : 57951

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
57951	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	2 screws
57955	Hook Face - Long nap				
57950	Vinyl Face				

## Tear-Drop Pads - Dynafine

VACUUM PADS						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
58048	6 holes	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	2 screws
58045		Vinyl Face				



Example : 57952

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
57953	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	2 screws
57954	Hook Face - Long nap				
57952	Vinyl Face				

## 4" (100 mm) x 3/4" (19 mm) Raised Panel Shape Pad - Dynafine

NON-VACUUM PAD					
P/N	Attachment	Thickness	Material	Density	Thread
57956	Hook Face - Short nap	3/8" (10 mm)	Urethane	Soft	2 screws



Example : Model 57906 with 57956 Backing Pad



## Backsplash Pads - Dynafine

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
58020	Vinyl Face	1/4" (6 mm) Radius	Urethane	Medium	2 screws
58021		3/8" (10 mm) Radius			
58022		1/2" (13 mm) Radius			
58023		5/8" (16 mm) Radius			
58024		3/4" (19 mm) Radius			



Example : Model 58000 with 58021 Backing Pad


## 2" (50 mm) Diameter Pad - Dynafine

NON-VACUUM PAD					
P/N	Attachment	Thickness	Material	Density	Thread
58031	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	2 screws



Example : Model 57902 with 58031 Backing Pad

## 3" (75 mm) Diameter Pad - Dynafine



Example : 58047

VACUUM PAD						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
58047	6 holes	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	2 screws

NON-VACUUM PADS					
P/N	Attachment	Thickness	Material	Density	Thread
58033	Hook Face - Short nap	3/8" (10 mm)	Urethane	Medium	2 screws
58032	Vinyl Face	3/8" (10 mm) Radius			

## DYNABRADE PAD PROTECTORS



Attach between the pad and the abrasive sheet to increase lifetime of the hooks - No need to replace the entire pad anymore when the hooks are worn!

## 6" (150 mm) Diameter - Pad Protector

VACUUM PAD						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
22343	Multi-holes	Hook Face	/	/	/	Hook Attachment



## 8" (200 mm) Diameter - Pad Protector

VACUUM PAD						
P/N	Vacuum Capacity	Attachment	Thickness	Material	Density	Thread
22344	15 holes	Hook Face	/	/	/	Hook Attachment



Dynabrade Europe S.à r.l  
 Zone Artisanale Op Tomm, 6  
 L-5485 Wormeldange-Haut, Luxembourg  
 Tel: +352 768 494 1 / Fax: +352 768 495  
 Email: sales@dynabrade.lu  
 www.dynabrade.com

**WE LISTEN. WE OBSERVE. WE OPTIMIZE.**

Backing Pads for Random Orbital and Gear Driven Sanders  
 Dynabug - Dynabug II - Dynaline - Dynafine

EUR 21-04